




Genetic parameters for body temperature under hot and humid conditions in an Angus–Brahman population

**Raluca Mateescu, Serdal Dikmen,
Peter Hansen, and Mauricio Elzo**

**Department of
Animal Sciences**



Climatic stress and beef cattle

- 
- Major limiting factor of production efficiency
 - In beef cattle in tropical and subtropical environments.
 - In dairy cattle throughout most of the world.
 - > **50%** cattle in the world – maintained in hot and humid environments
 - including ~ 40% of beef cows in US.
 - Substantial differences in thermal tolerance
 - Among breeds
 - Among animals within breeds
 - Indication of opportunities for **selective improvement.**

In response to heat stress cattle will:

- Regulate internal **heat production**
 - Modulating basal metabolic rate
 - Changing: feed intake, growth, lactation, activity
- Regulate **heat exchange**
 - Increasing blood flow to the skin
 - Increasing evaporative heat loss through sweating & panting



Genetics of thermotolerance

- **Heritability** of rectal temperature

- 0.19, Brahman x Angus crossbred pop. (Riley et al. 2012)
- 0.17, dairy cattle in FL (Dikmen et al. 2012)

- Selection for improved thermal tolerance is possible

- If we can identify animals with genetically superior core body temperature regulation when exposed to environmental thermal stress.
- Need phenotypes and tools to make selection decisions

Reveal the **genetic architecture** of traits defining **thermal tolerance** in *Bos Indicus* influenced cattle.

UF - Multibreed Angus x Brahman Herd


- Summer 2015, 2017
 - **286 cows**: from 100% Brahman to 100% Angus

Breed Group	Angus %	Brahman %	Angus %	Brahman %
1	100	0	100-80	0-20
2	75	25	79-60	21-40
3	62.5	37.5	62.5	37.5
4	50	50	59-40	41-60
5	25	75	39-20	61-80
6	0	100	19-0	81-100

Internal Body Temperature

- Summer 2015, 2017
 - **286 cows**: from 100% Brahman to 100% Angus
 - Vaginal **temperature** at 5-min intervals for 5 days
 - Air temperature and relative humidity – recorded continuously in the pastures

DS1922L iButton Temperature Logger, Range: -40°C to +85°C, Resolution: 0.0625°C (11 bit) or 0.5°C (8 bit)




Environmental Measurements

- HOBO data loggers recorded **every 15 minutes**:
 - **dry bulb temperature** (T_{db})
 - **relative humidity** (RH)
 - **dew point temperature** (T_{dp})
 - **black globe temperature** (T_{bg})
- The temperature-humidity index (**THI**) was used to quantify heat stress and it was calculated as in Dikmen et al., 2008:


$$THI = (1.8 \times T_{db} + 32) - [(0.55 - 0.0055 \times RH) \times (1.8 \times T_{db} - 26)]$$

Genetic Parameters - variables




- **Low** THI: **74** and **74.5**
- **High** THI: **84 – 84.5**
- **Average** THI: **77 – 77.5**
- Vaginal temperature for each cow Low, High, Avg. = **average temp of all the 5-min** measurements when the cow was exposed to that respective THI.
- Diff THI: High-Low THI
- **WOMBAT**: univariate animal models - genetic and residual variances, heritability.



Outside temperature - by replicate



Vaginal Temp. under high heat stress





Vaginal Temp. under low heat stress




LSMeans - 6 different breed groups

Trait	h^2
Temp Diff Hi-Low	0.27
Temp High	0.11
Temp Low	0.25
Temp Average	0.20

Trait	σ_a^2	σ_e^2
Temp Diff Hi-Low	0.17	0.45
Temp High	0.07	0.56
Temp Low	0.14	0.42
Temp Average	0.09	0.35



Conclusions



- **Climatic stress** - major limiting factor of production efficiency in beef cattle in tropical and subtropical environments.
 - Expected to increase due to climate change.
- Differences in **thermal tolerance** exist:
 - Opportunities for selective improvement.
- **Genomic tools** are needed to select replacement heifers or bulls with increased thermotolerance.
- Development of the “**cow of the future**” with high productivity and resistant to heat stress will be realized through use of **genomic selection**.

Acknowledgments

University of Florida

- Dr. Mauricio Elzo
- Dr. Pete Hansen
- Dr. Serdal Dikmen
- Danny Driver
- Michelle Driver
- Joel Leal, Heather Hamblen, Sarah Flowers, Mesfin Gobena, Zaira Estrada
- Christina Nagy
- Adriana Zolini, William Ortiz, Samantha Eifert, Lauren Peacock



United States Department of Agriculture
National Institute of Food and Agriculture



**FLORIDA
CATTLEMEN'S
ASSOCIATION**



Financial Support

- USDA-NIFA Grant 2017-67007-26143
- UF Agricultural Experim. Station
- UF ANS Hatch Project
- Seminole Tribe of Florida
- Brangus Breeders Association
- Florida Beef Council
- Florida Cattlemen's Association





Comments/ Questions

